

2009 Industrial Sewage Monthly Summary - Northern Region

Abitibi-Consolidated Company of Canada - Iroquois Falls

1 Park St
Iroquois Falls

Sector: Pulp and Paper
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

FLOW

Order Non-Compliance

March 17, 2009	56.6	m3	/sec	1 exceedance	0	0	Other	Assessment Underway
----------------	------	----	------	--------------	---	---	-------	---------------------

Total Order Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Industrial Sewage Monthly Summary - Northern Region

Abitibi-Consolidated Inc. - Fort Frances Division

145 Third St W
Fort Frances

Sector: Pulp and Paper
Ministry Office: Kenora

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

LOW PH EFFLUENT

Legislation Non-Compliance

August 23, 2009	6	pH	any	1 exceedance	5.93	5.93	Operational Process Modification	Assessment Underway
-----------------	---	----	-----	--------------	------	------	-------------------------------------	---------------------

Total Legislation Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Industrial Sewage Monthly Summary - Northern Region

Algoma Tubes Inc.

547 Wallace Terr
Sault Ste. Marie

Sector: Iron and Steel
Ministry Office: Sault Ste. Marie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - DAPHNIA

Legislation Non-Compliance

April 22, 2009 - May 4, 2009	Pass	acute toxicity	any	4 exceedances	Fail	Fail	Conducting Study	Environmental Penalty Order Issued
---------------------------------	------	-------------------	-----	---------------	------	------	------------------	---------------------------------------

Total Legislation Non-Compliance = 4 exceedances

ACUTE LETHALITY - TROUT

Legislation Non-Compliance

April 22, 2009 - June 24, 2009	Pass	acute toxicity	any	5 exceedances	Fail	Fail	Conducting Study	Environmental Penalty Order Issued
-----------------------------------	------	-------------------	-----	---------------	------	------	------------------	---------------------------------------

Total Legislation Non-Compliance = 5 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Industrial Sewage Monthly Summary - Northern Region

Cameco Corp. - Blind River Refinery

328 Eldorado Rd, Blind River
Blind River

Sector: Metal Mining and Refining
Ministry Office: Sault Ste. Marie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - TROUT

Legislation Non-Compliance

November 24, 2009	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Other	Environmental Penalty Order Issued
-------------------	------	----------------	-----	--------------	------	------	-------	------------------------------------

Total Legislation Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Industrial Sewage Monthly Summary - Northern Region

Capital Power Income L.P.

Lot: 26,27,28, Conc: 4, Stoddart Twp.
Stoddart

Sector: Electric Power Generation
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ALUMINUM

CofA/Permit Non-Compliance

December 15, 2009	1	mg/L	any	1 exceedance	1.41	1.41	Equipment Modified - Repaired - Replaced or Re- calibrated - Other	Assessment Underway, Other Abatement Action Taken - Voluntary Abatement Program Underway
-------------------	---	------	-----	--------------	------	------	--	---

Total CofA/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Industrial Sewage Monthly Summary - Northern Region

Domtar Inc.

1 Station Rd
Espanola

Sector: Pulp and Paper
Ministry Office: Sudbury

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - TROUT

Legislation Non-Compliance

November 03, 2009	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Other	Assessment Underway
-------------------	------	----------------	-----	--------------	------	------	-------	---------------------

Total Legislation Non-Compliance = 1 exceedance

TOLUENE

Legislation Non-Compliance

February 17, 2009	0.261	kg/d	/d	1 exceedance	0.5203	0.5203	Other	Assessment Underway
-------------------	-------	------	----	--------------	--------	--------	-------	---------------------

Total Legislation Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Industrial Sewage Monthly Summary - Northern Region

EPCOR Power L.P. - Calstock

Lot: 26,27,28, Conc: 4, Stoddart Twp
Stoddart

Sector: Electric Power Generation
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ALUMINIUM

CofA/Permit Non-Compliance

August 18, 2009	1	mg/L	any	1 exceedance	1.3	1.3	Equipment Modified - Repaired - Replaced or Re- calibrated	Assessment Underway, Voluntary Abatement Program Underway
-----------------	---	------	-----	--------------	-----	-----	--	---

Total CofA/Permit Non-Compliance = 1 exceedance

SUSPENDED SOLIDS

CofA/Permit Non-Compliance

April 7, 2009 - August 11, 2009	15	mg/L	any	7 exceedances	15.8	41.8	Equipment Modified - Repaired - Replaced or Re- calibrated	Assessment Underway, Voluntary Abatement Program Underway
------------------------------------	----	------	-----	---------------	------	------	--	---

Total CofA/Permit Non-Compliance = 7 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Industrial Sewage Monthly Summary - Northern Region

Essar Steel Algoma Inc.

105 West St
Sault Ste. Marie

Sector: Iron and Steel
Ministry Office: Sault Ste. Marie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

BENZENE

Legislation Non-Compliance

June 1, 2009 - June 30, 2009	0.143	kg/d	/month	1 exceedance	0.399	0.399	Equipment Modified - Repaired - Replaced or Re- calibrated	Assessment Underway
June 30, 2009	0.417	kg/d	/d	1 exceedance	1.9409	1.9409	Equipment Modified - Repaired - Replaced or Re- calibrated	Environmental Penalty Order Issued

Total Legislation Non-Compliance = 2 exceedances

PHENOL

Legislation Non-Compliance

April 28, 2009	4.34	kg/d	/d	1 exceedance	5.03	5.03	Equipment Modified - Repaired - Replaced or Re- calibrated	Environmental Penalty Order Issued
----------------	------	------	----	--------------	------	------	--	---------------------------------------

Total Legislation Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Industrial Sewage Monthly Summary - Northern Region

FNX Mining Company Inc.

Lot 5 & 6, Conc 5
Greater Sudbury

Sector: Metal Mining and Refining
Ministry Office: Sudbury

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - DAPHNIA

CofA/Permit Non-Compliance

October 07, 2009	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Action Plan Submitted - Implementing Improvements, Other	Voluntary Abatement Program Underway
------------------	------	----------------	-----	--------------	------	------	--	--------------------------------------

Total CofA/Permit Non-Compliance = 1 exceedance

ACUTE LETHALITY - TROUT

CofA/Permit Non-Compliance

December 02, 2009	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Action Plan Submitted - Implementing Improvements	Voluntary Abatement Program Underway
-------------------	------	----------------	-----	--------------	------	------	---	--------------------------------------

Total CofA/Permit Non-Compliance = 1 exceedance

LOW PH EFFLUENT

CofA/Permit Non-Compliance

March 09, 2009	6	pH	any	1 exceedance	5.62	5.62	Equipment Modified - Repaired - Replaced or Re-calibrated	Assessment Complete - No Action Required
----------------	---	----	-----	--------------	------	------	---	--

Total CofA/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Industrial Sewage Monthly Summary - Northern Region

Goldcorp Canada Inc. - Red Lake Mine

17 Mile Road, Balmertown
Balmertown

Sector: Metal Mining and Refining
Ministry Office: Kenora

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - DAPHNIA

Legislation Non-Compliance

August 11, 2009	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Additional Monitoring Underway, Other	Assessment Complete - Incident Resolved
-----------------	------	----------------	-----	--------------	------	------	---------------------------------------	---

Total Legislation Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Industrial Sewage Monthly Summary - Northern Region

Goldcorp Canada Ltd. - McIntyre Mine

Lot 7 & 8, Conc 3 & 4, Tisdale Twp.
Timmins

Sector: Miscellaneous Industrial
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

CofA/Permit Non-Compliance

April 1, 2009 - April 30, 2009	15	mg/L	mon avg	1 exceedance	16.48	16.48	Equipment Modified - Repaired - Replaced or Re- calibrated	Assessment Complete - Incident Resolved
April 27, 2009	30	mg/L	any	1 exceedance	50.5	50.5	Equipment Modified - Repaired - Replaced or Re- calibrated	Assessment Complete - Incident Resolved

Total CofA/Permit Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Industrial Sewage Monthly Summary - Northern Region

Goldcorp Canada Ltd. - Owl Creek

Florence St N Lots 6 & 7 Concession I
Timmins

Sector:

Metal Mining and Refining

Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

CofA/Permit Non-Compliance

June 1, 2009 - June 30, 2009	15	mg/L	mon avg	1 exceedance	44.2	44.2	Equipment Modified - Repaired - Replaced or Re- calibrated	Assessment Complete - No Action Required
June 02, 2009	30	mg/L	any	1 exceedance	44.2	44.2	Equipment Modified - Repaired - Replaced or Re- calibrated	Assessment Complete - No Action Required

Total CofA/Permit Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Industrial Sewage Monthly Summary - Northern Region

Kirkland Lake Power Corp.

505 Archer's Dr
Kirkland Lake

Sector: Electric Power Generation
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - TROUT

CofA/Permit Non-Compliance

April 20, 2009	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Action Plan Submitted - Implementing Improvements - Additional Monitoring Underway - New/Modified Sampling Program Underway	Assessment Underway, Voluntary Abatement Program Underway, Environmental Penalty Order Issued
----------------	------	----------------	-----	--------------	------	------	---	--

Total CofA/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Industrial Sewage Monthly Summary - Northern Region

Lake Shore Gold Corp.

8215 Hwy 101 W
Timmins

Sector: Metal Mining and Refining
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

AMMONIA

CofA/Permit Non-Compliance

November 1, 2009 - November 30, 2009	10	mg/L	mon avg	1 exceedance	10.25	10.25	New/Modified Sampling Program Underway	Other Abatement Action Taken
---	----	------	---------	--------------	-------	-------	---	------------------------------

Total CofA/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Industrial Sewage Monthly Summary - Northern Region

Liberty Mines Inc.

Redstone Mine & Mill Twp of Eldorado
Timmins

Sector: Metal Mining and Refining
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

NICKEL

Legislation Non-Compliance

December 1, 2009 - December 31, 2009	0.5	mg/L	mon avg	1 exceedance	1.014	1.014	Conducting Study	Other Abatement Action Taken, Environmental Penalty Order Issued
December 21, 2009 - December 31, 2009	1	mg/L	/wk	5 exceedances	1.09	1.25	Conducting Study	Other Abatement Action Taken, Environmental Penalty Order Issued

Total Legislation Non-Compliance = 6 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Industrial Sewage Monthly Summary - Northern Region

Longlac Wood Industries Inc.

100 Katamaki Rd
Greenstone

Sector: Miscellaneous Industrial
Ministry Office: Thunder Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

CofA/Permit Non-Compliance

July 14, 2009 - October 22, 2009	25	mg/L	any	2 exceedances	41	45	New/Modified Sampling Program Underway	Assessment Complete - No Action Required
-------------------------------------	----	------	-----	---------------	----	----	---	---

Total CofA/Permit Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Industrial Sewage Monthly Summary - Northern Region

Marathon Pulp Inc.

1 Mill Road
Marathon

Sector: Pulp and Paper
Ministry Office: Thunder Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - TROUT

CofA/Permit Non-Compliance, Legislation Non-Compliance

March 2, 2009 - March 9, 2009	Pass	acute toxicity	any	2 exceedances	Fail	Fail	Ceased Operations	Assessment Complete - Incident Resolved
----------------------------------	------	-------------------	-----	---------------	------	------	-------------------	--

Total CofA/Permit Non-Compliance, Legislation Non-Compliance = 2 exceedances

CARBONACEOUS BIOCHEMICAL OXYGEN DEMAND

CofA/Permit Non-Compliance, Legislation Non-Compliance

January 1, 2009 - January 31, 2009	3017	kg/d	/month	1 exceedance	3545.8	3545.8	Conducting Study	Assessment Complete - Incident Resolved
January 9, 2009 - January 11, 2009	6022	kg/d	/d	3 exceedances	6180.5	6338.9	Conducting Study	Assessment Complete - Incident Resolved

Total CofA/Permit Non-Compliance, Legislation Non-Compliance = 4 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Industrial Sewage Monthly Summary - Northern Region

Marshall Minerals Corporation

6100 Langmuir Road
Timmins

Sector: Miscellaneous Industrial
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

CofA/Permit Non-compliance

January 30, 2009	15	mg/l	/month	1 exceedance	224	224	Other	Assessment Complete - No Action Required
------------------	----	------	--------	--------------	-----	-----	-------	--

Total CofA/Permit Non-compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Industrial Sewage Monthly Summary - Northern Region

Ontario Graphite Ltd.

2142 Forestry Rd Former Twp of Butt
Kearney

Sector: Miscellaneous Industrial
Ministry Office: North Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

HIGH PH EFFLUENT

CofA/Permit Non-Compliance

August 1, 2009 - August 31, 2009	8.5	pH	any	1 exceedance	8.7	8.7	Training/Procedure Change	Voluntary Abatement Program Underway
-------------------------------------	-----	----	-----	--------------	-----	-----	---------------------------	--------------------------------------

Total CofA/Permit Non-Compliance = 1 exceedance

LOW PH EFFLUENT

CofA/Permit Non-Compliance

February 1, 2009 - February 28, 2009	6.5	pH	any	1 exceedance	6.2	6.2	Training/Procedure Change	Voluntary Abatement Program Underway
March 1, 2009 - March 31, 2009	6.5	pH	any	1 exceedance	5.6	5.6	Training/Procedure Change	Voluntary Abatement Program Underway
May 1, 2009 - May 31, 2009	6.5	pH	any	1 exceedance	5.8	5.8	Training/Procedure Change	Voluntary Abatement Program Underway
November 1, 2009 - November 30, 2009	6.5	pH	any	1 exceedance	6.1	6.1	Training/Procedure Change	Voluntary Abatement Program Underway

Total CofA/Permit Non-Compliance = 4 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Industrial Sewage Monthly Summary - Northern Region

Ontario Power Generation Inc. - Atikokan

P.O. Box 1900
Atikokan

Sector: Electric Power Generation
Ministry Office: Thunder Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

HIGH PH EFFLUENT

Legislation Non-Compliance

May 28, 2009	9.5	pH	any	1 exceedance	9.65	9.65	Operational Process Modification	Voluntary Abatement Program Underway
--------------	-----	----	-----	--------------	------	------	----------------------------------	--------------------------------------

Total Legislation Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Industrial Sewage Monthly Summary - Northern Region

Peter Kiewit Sons Co.

Lot 10, Concession 5
Timmins

Sector: Miscellaneous Industrial
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

CofA/Permit Non-Compliance

July 28, 2009 - July 30, 2009	25	mg/L	/d	3 exceedances	41	60.1	Ceased Operations - Other	Assessment Complete - Incident Resolved
August 20, 2009	25	mg/L	/d	1 exceedance	164	164	None Required	Assessment Complete - Incident Resolved
October 22, 2009 - October 23, 2009	25	mg/L	/d	2 exceedances	25.6	41.7	None Required	Assessment Complete - No Action Required

Total CofA/Permit Non-Compliance = 6 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Industrial Sewage Monthly Summary - Northern Region

Richmont Mines Inc.

Lot: 19, Concession: 5, Finan
Finan

Sector: Metal Mining and Refining
Ministry Office: Sault Ste. Marie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - DAPHNIA

Legislation Non-Compliance

April 27, 2009	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Additional Monitoring Underway	Assessment Underway
----------------	------	----------------	-----	--------------	------	------	--------------------------------	---------------------

Total Legislation Non-Compliance = 1 exceedance

ACUTE LETHALITY - TROUT

Legislation Non-Compliance

April 27, 2009	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Additional Monitoring Underway	Environmental Penalty Order Issued
----------------	------	----------------	-----	--------------	------	------	--------------------------------	------------------------------------

Total Legislation Non-Compliance = 1 exceedance

SUSPENDED SOLIDS

Legislation Non-Compliance

January 1, 2009 - June 30, 2009	15	mg/L	mon avg	2 exceedances	15.6	17.2	Other	Assessment Underway
------------------------------------	----	------	---------	---------------	------	------	-------	---------------------

Total Legislation Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Industrial Sewage Monthly Summary - Northern Region

St. Marys Paper Corp.

75 Huron St
Sault Ste. Marie

Sector: Pulp and Paper
Ministry Office: Sault Ste. Marie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - DAPHNIA

Legislation Non-Compliance

October 13, 2009	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Operational Process Modification	Assessment Underway
------------------	------	----------------	-----	--------------	------	------	----------------------------------	---------------------

Total Legislation Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Industrial Sewage Monthly Summary - Northern Region

Superior Fine Papers Inc.

550 Shipyard Rd
Thunder Bay

Sector: Pulp and Paper
Ministry Office: Thunder Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

HIGH PH EFFLUENT

Legislation Non-Compliance

May 17, 2009 - June 14, 2009	9.5	pH	any	7 exceedances	9.51	9.7	Ceased Operations, Operational Process Modification	Assessment Complete - Incident Resolved
---------------------------------	-----	----	-----	---------------	------	-----	---	--

Total Legislation Non-Compliance = 7 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Industrial Sewage Monthly Summary - Northern Region

Tembec Enterprises Inc.

1 Government Rd
Kapuskasing

Sector: Pulp and Paper
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - TROUT

Legislation Non-Compliance

March 29, 2009	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Equipment Modified - Repaired - Replaced or Re- calibrated	Other Abatement Action Taken, Environmental Penalty Order Issued
----------------	------	----------------	-----	--------------	------	------	--	--

Total Legislation Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Industrial Sewage Monthly Summary - Northern Region

VALE INCO Limited - Copper Cliff

337 Power St
Greater Sudbury

Sector: Metal Mining and Refining
Ministry Office: Sudbury

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

HIGH PH EFFLUENT

Legislation Non-Compliance

November 18, 2009	9.5	pH	any	1 exceedance	9.61	9.61	Operational Process Modification	Other Abatement Action
-------------------	-----	----	-----	--------------	------	------	----------------------------------	------------------------

Total Legislation Non-Compliance = 1 exceedance

LOW PH EFFLUENT

Legislation Non-Compliance

May 04, 2009	6	pH	any	1 exceedance	5.75	5.75	Other	Other Abatement Action
November 30, 2009	6	pH	any	1 exceedance	5.89	5.89	Conducting Study	Other Abatement Action

Total Legislation Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Industrial Sewage Monthly Summary - Northern Region

VALE INCO Limited - Garson Mine

Lot: 4, Concession: 3, Garson
Greater Sudbury

Sector: Metal Mining and Refining
Ministry Office: Sudbury

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

HIGH PH EFFLUENT

Legislation Non-Compliance

August 12, 2009	9	pH	any	1 exceedance	9.56	9.56	Equipment Modified - Repaired - Replaced or Re- calibrated	Assessment Complete - Incident Resolved
-----------------	---	----	-----	--------------	------	------	--	--

Total Legislation Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Industrial Sewage Monthly Summary - Northern Region

VALE INCO Limited - Nolin Creek

McKim
Greater Sudbury

Sector: Metal Mining and Refining
Ministry Office: Sudbury

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

NICKEL

Legislation Non-Compliance

March 1, 2009 - March 31, 2009	0.5	mg/L	mon avg	1 exceedance	0.934	0.934	Conducting Study	Assessment Underway
March 11, 2009	1	mg/L	/d	1 exceedance	2.25	2.25	Conducting Study	Voluntary Abatement Program Underway

Total Legislation Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Industrial Sewage Monthly Summary - Northern Region

VALE INCO Limited - Totten Mine

6 Totten Mine Road, Drury
Greater Sudbury

Sector: Metal Mining and Refining
Ministry Office: Sudbury

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

NICKEL

CofA/Permit Non-Compliance

February 2, 2009 - February 6, 2009	0.25	kg/d	/wk	1 exceedance	0.396	0.396	Other	Environmental Penalty Order Issued
--	------	------	-----	--------------	-------	-------	-------	---------------------------------------

Total CofA/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Industrial Sewage Monthly Summary - Northern Region

Wesdome Gold Mines Ltd.

52 km S. on Paint Lk Rd from Hwy 17
Michipicoten

Sector: Metal Mining and Refining
Ministry Office: Sault Ste. Marie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

COPPER

Legislation Non-Compliance

June 1, 2009 - November 30, 2009	0.3	mg/L	mon avg	2 exceedances	0.336	0.364	New Equipment or Treatment Process Installed	Environmental Penalty Order Issued
-------------------------------------	-----	------	---------	---------------	-------	-------	---	---------------------------------------

Total Legislation Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.

2009 Industrial Sewage Monthly Summary - Northern Region

Williams Operating Corporation

3 km W of Junction of Hwy 17 & 614
Bomby

Sector: Metal Mining and Refining
Ministry Office: Thunder Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

CofA/Permit Non-Compliance

September 15, 2009	15	mg/L	mon avg	1 exceedance	24.8	24.8	Other	Other Abatement Action Taken
--------------------	----	------	---------	--------------	------	------	-------	------------------------------

Total CofA/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2010. For up-to-date information, please contact the appropriate district or area office.